

SEQUENCE LISTING



☐   
☐   
<110> BOEHRINGER MANNHEIM GMBH  
☐   
☐   
<120> METHOD OF INACTIVATION OF P21 RAS AND AGENTS THEREFOR  
☐   
☐   
<130> VON EICHEL-STREIBER  
☐   
☐   
<140> 09/126,816  
☐   
<141> 1998-07-31  
☐   
☐   
<150> PCT/EP97/00426  
☐   
<151> 1997-01-31  
☐   
☐   
<150> 96 101 469.3  
☐   
<151> 1996-02-02  
☐   
☐   
<160> 4  
☐   
☐   
<170> PatentIn Ver. 2.0  
☐   
☐   
<210> 1  
☐   
<211> 31  
☐   
<212> DNA  
☐   
<213> Artificial Sequence  
☐   
☐   
<220>  
☐   
<223> Description of Artificial Sequence:primer BCS1C  
☐   
☐   
<400> 1  
☐

*Replaced by  
C5*

ggggaatttt aatgagctca gttaacaaag c

31

☐

☐

<210> 2

☐

<211> 29

☐

<212> DNA

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:primer BCD2N

☐

☐

<400> 2

☐

ttcagataat gtaggtacca agtctatag

☐

☐

<210> 3

☐

<211> 29

☐

<212> DNA

☐

<213> Artificial Sequence

☐

☐

<220>

☐

<223> Description of Artificial Sequence:primer BCD2C

☐

☐

<400> 3

☐

ctatagactt ggtacctaca ttatctgaa

☐

☐

<210> 4

☐

<211> 28

☐

<212> DNA

☐

<213> Artificial Sequence

☐

☐

<220>

☐

29

29

C5

<223> Description of Artificial Sequence:primer BCS3N

□

□

<400> 4

□

tattaaogtg ggcccaatat atgtctac

□

□

□

28

C5